

We DEVELOP

SMART UE1

Inspection's Swiss Army knife: multi-methods aerospace-dedicated tool boosting efficiency in all your daily operations

Multi-method single channel (UT, ET & resonance) and multi applications instrument for efficient, flexible and reliable inspections.

Benefits

Efficiency

- Avoid delays thanks to RemoteAssistance.
- Share reports with the 4G/Wi-Fi connectivity capabilities.
- Speed-up inspections thanks to assisted data analysis.
- Expand capabilities with a digital continuity brick between acquisition and reporting.

Flexibility

- Reach different areas thanks to multi-function built-in capabilities.
- Get a multi-method device for your multi-method certified personnel.
- Allow every certified or non-certified member of your team to use the tool.
- Integrate a windows tablet generating word/excel reports and connecting with your corporate applications (outlook, ERP, MIS, etc)

Traceability

- Share accurate reports thanks to assisted reporting capabilities.

Accuracy

- Get the level of results requested in the aerospace sector thanks to repeatability.

Reliability

- Inspect confidently with a +150 NTM procedures certified device.



We DEVELOP

Extras

The Smart UE1 is referenced in more than 150 NTM procedures to maintain Airbus aircrafts.

SMART UE1

Inspection's Swiss Army knife: multi-methods aerospace-dedicated tool boosting efficiency in all your daily operations

Features

- Remote Assistance
- Connectivity: Wi-Fi, 4G, etc.
- Assisted analysis
- Digital continuity brick between acquisition and reporting
- Windows environment ready for connecting with your software
- All-in-one device: UT, ET, rototest, resonance, galvanometer, thickness gauge, coating thickness, conductivity, clad and more
- Modular: choose the software you need
- Some apps can be used by non-certified personnel
- Assisted reporting avoiding dual entries and human errors
- Aerospace specific
- Referenced in +150 procedures
- Light-weight industrial tablet with large touch-screen display

Technical specifications

Dimensions: 280 mm × 198 mm × 80 mm

Weight: 2 kg

Connectors:

- Power supply and data transfer: USB
- Output: HDMI and LAN
- Ultrasonic transducers: 2 Lemo 00
- Eddy current probes: Fischer 16 cts
- Position encoders inputs (× 4): Fischer 12 cts

Analog signal output: no

Standards: UT 22232-1 et EN 15548-1:2008 + CE marking

Indoor and outdoor use

Temperature intervals: -10 °C à 45 °C

Relative humidity in operation 30 % to 80 % (without condensation)

Protection index: IP54

Power: 100-240 V AC 50/60 Hz 1.6-0.9 A

Degree of pollution: 2



Materials:

All

We DEVELOP

Extras

The Smart UE1 is referenced in more than 150 NTM procedures to maintain Airbus aircrafts.

SMART UE1

Inspection's Swiss Army knife: multi-methods aerospace-dedicated tool boosting efficiency in all your daily operations

A318/A319/A320/A321

51-10-32-270-801-A01
53-21-55-250-801-A01
53-22-05-250-801-A01
54-51-80-270-801-A01
54-52-05-250-801-A01
54-53-08-270-801-A01
57-11-24-270-801-A01
57-11-24-270-801-B01
57-11-25-270-801-B01
57-11-47-270-801-A01
57-11-64-250-801-A01
57-11-73-270-803-A01
57-11-75-270-805-A01
57-11-81-270-801-A01
57-11-81-270-802-A01
57-11-82-270-801-A01
57-11-82-270-802-A01
57-12-02-270-801-A01
57-12-02-270-801-B01
57-12-02-270-802-A01
57-12-02-270-802-B01
57-12-03-270-801-A01
57-12-03-270-801-B01
57-12-03-270-802-A01
57-12-03-270-802-B01
57-12-04-270-801-A01
57-12-04-270-801-B01
57-12-04-270-802-A01
57-12-04-270-802-B01
57-29-15-270-801-A01

A380

51-10-32-270-801-A01
53-11-02-270-803-A01
53-11-10-270-801-A01
53-11-17-270-801-A01
53-11-18-270-801-A01
53-11-20-270-801-A01
53-11-30-270-801-A01
53-11-32-250-801-A01
53-11-32-270-801-A01
53-11-34-270-801-A01
53-31-04-270-801-A01
53-31-12-270-801-A01
53-31-27-270-801-B01
53-31-37-270-801-A01
53-31-42-270-801-A01
53-31-53-270-801-A01
53-31-58-270-801-A01
53-31-60-270-801-A01
53-31-61-270-801-A01
53-31-62-270-801-B01
53-31-63-270-801-A01
53-31-64-270-801-A01
53-31-72-270-801-A01
53-31-75-270-801-A01
54-51-03-270-801-A01
54-52-16-250-801-B01
54-52-16-250-801-C01
54-52-17-250-801-B01
57-21-05-270-802-A01
57-21-10-270-803-A01
57-21-12-270-801-B01
57-21-18-270-801-A01
57-21-18-270-803-A01
57-21-18-270-805-A01
57-21-18-270-806-A01
57-21-19-270-801-A01

A330

51-10-32-270-801-A01
53-11-08-270-802-A01
53-11-55-270-802-A01
53-11-55-270-802-B01
53-11-63-270-801-A01
53-11-77-270-801-A01
53-11-79-270-801-A01
53-11-95-270-801-A01
53-11-96-270-801-A01
53-19-79-270-801-E01
53-19-79-270-801-F01
53-19-84-270-801-A01
53-30-09-270-801-A01
53-30-10-270-801-A01
53-30-17-270-801-A01
53-30-17-270-801-B01
53-30-18-270-801-A01
53-30-18-270-801-A01
53-30-23-270-801-B01
53-30-28-270-801-B01
53-30-30-270-801-A01
53-30-30-270-801-B01
53-30-30-270-801-C01
53-30-33-270-802-A01
53-30-50-270-801-A01
53-30-54-270-801-A01
53-30-55-270-801-A01
53-30-60-270-801-A01
53-30-70-270-801-B01
53-30-71-270-801-A01
53-30-72-270-801-A01
54-54-13-270-801-A01
54-54-14-270-801-A01
54-54-15-270-801-A01
54-54-16-270-801-A01
54-54-19-270-801-A01

57-11-32-270-801-A01
57-11-33-250-801-A01
57-11-68-270-802-A01
57-11-74-250-801-A01
57-11-74-250-801-B01
57-11-74-270-801-A01
57-11-79-270-801-A01
57-19-91-270-801-A01
57-20-86-270-801-A01
57-20-86-270-801-B01
57-20-96-270-801-A01
57-61-14-270-803-B01
57-61-21-270-801-A01

A340


51-10-32-270-801-A01
53-11-55-270-802-B01
53-11-55-270-802-B01
53-11-95-270-801-A01
53-30-09-270-801-A01
53-30-10-270-801-A01
53-30-17-270-801-A01
53-30-17-270-801-B01
53-30-18-270-801-B01
53-30-18-270-802-A01
53-30-23-270-801-B01
53-30-28-270-801-B01
53-30-30-270-801-A01
53-30-50-270-801-A01
53-30-54-270-801-A01
53-30-55-270-801-A01
53-30-60-270-801-A01
53-30-70-270-801-B01
53-30-70-270-801-B01
53-31-34-270-801-A01
53-38-06-270-801-A01
53-38-39-250-801-B01
53-38-45-270-801-A01

53-38-46-270-801-A01
53-38-46-270-801-B01
53-39-08-270-801-A01
53-39-26-270-801-A01
53-39-31-270-801-A01
53-39-32-270-801-A01
53-39-33-270-801-A01
53-39-34-270-801-A01
53-39-36-270-801-A01
53-39-36-270-802-A01
57-11-32-270-801-A01
57-11-68-270-802-A01
57-11-74-250-801-A01
57-11-74-270-801-A01
57-11-95-270-801-A01
57-18-25-270-801-A01
57-18-26-270-801-A01
57-61-14-270-802-A01
57-61-14-270-803-B01
57-61-21-270-801-A01

We DEVELOP

SMART UE1 & UE1 BOX SOFTWARE


UT



Thickness Gauge



ET (inc. rototest)




Galvanometer




Resonance




CladTool



Coating Thickness



Conductivity



& YOUR SOFTWARE, BASED ON THE SDK